

SIDING CHECKLIST

A typical siding project could include all or most of the following items. Use this list as a handy reminder when you do an estimate or place your order with Erie Materials.

SIDING CHECKLIST

- _____ Siding
- _____ Backer
- _____ Housewrap
- _____ Window Tape
- _____ Starter
- _____ Outside Corners
- _____ Inside Corners
- _____ Kick-Out Flashing
- _____ J-Channel
- _____ Undersill Trim
- _____ Drip Cap
- _____ Caulk
- _____ Nails
- _____ J-Blocks
- _____ Dryer Vent
- _____ Lath/Furring
- _____ Coil Stock
- _____ Trim Nails
- _____ Soffit-Vented
- _____ Soffit-Solid
- _____ Soffit J-Channel
- _____ Fascia
- _____ Shutters
- _____ Gable Louvers
- _____ ZIP Wall Panels

SIDING TAKE-OFF FORM



DOWNLOAD
HERE

CONTRACTOR: _____ **DELIVERY DATE:** _____
CONTACT #: _____ **DELIVERY TIME:** _____
JOB NAME: _____ **PO #** _____
DELIVERY ADDRESS: _____

			PRICE	EXTENSION
SIDING				
BACKER	HOUSEWRAP	STARTER		
SUPER CORNERS	OUTSIDE CORNERS	INSIDE CORNERS		
J-CHANNEL	UNDERSILL (REGULAR/ DUAL)	FLEX J		
3 ½" LINEALS	5" LINEALS	N/C WINDOW DOOR STARTER		
REM WINDOW DOOR STARTER	DRYER VENTS	LOUVERS		
J-BLOCKS (ELECTRIC/ METER)	VENTED SOFFIT	SOLID SOFFIT		
SOFFIT J	F-CHANNEL	COIL		
FASCIA	SHUTTERS (LOUVERED/ RAISED PANEL)	BEADED PORCH PANEL (3/8-J)		
NAILS	TRIM NAILS	CAULK		
DRIP CAP	COLUMNS	PORCH POST		
TRIM BOARDS				
WINDOW FLASHING	TAPE	SPRAY FOAM		
MISC			SUB-TOTAL	
			TAX	
			TOTAL	

ALBANY | AUBURN | BINGHAMTON | ELMIRA | SCRANTON | SYRACUSE | UTICA | WATERTOWN | WILLIAMSPORT



AZEK CAPTIVATE: PREFINISHED PVC SIDING

AZEK® Captivate™



azekexteriors.com/captivate

SPECIAL
ORDER

SIDING



Captivate Siding uses special solar reflective pigments that help keep your siding cool and add longevity.

Paint is applied with high-tech machines that ensure consistent coverage and a smooth coat. The finish on each piece is cured in a controlled environment instead of hoping for the right weather conditions on-site.

Dark colors? No problem—Captivate means the performance and low maintenance of AZEK PVC, **even in black!**

Captivate substrates carry the **AZEK Lifetime Limited Warranty** against rotting, splintering, swelling, and warping from excessive moisture absorption. On top of that, the paint manufacturer warrants **Captivate paint performance for 15 years** against cracking, peeling, or flaking.

Options include:

Straight Shingles: 5", 7" reveals

Staggered Shingles: 6" reveal

Board and Batten: from 8" to 16" batten spacing, smooth or woodgrain

Corners: 5/4" x 4", 6" x 20', smooth or woodgrain

Call for pricing.

SEE PAGE 55 FOR AZEK®
CAPTIVATE™ TRIM



GET THE FULL
BROCHURE



COLORS

DELUXE COLORS

**PREMIUM
COLORS**

CEDARLIFE
BLENDS

SIDING PRODUCTS

[illegible]

**NOT ALL SIDING COLORS HAVE MATCHING
GUTTER COLORS**



ALWAYS
SELECT COLOR
FROM PRODUCT SAMPLES

New Color
* **Special Order**

Unless designated as Special Order, items were in stock at time of printing and available within 2-3 days. Please check with your local branch for current status.

SIDING PRODUCTS**VINYL CARPENTRY™ SOFFIT & VERTICAL SIDING**

BEADED SOFFIT/VERTICAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



CERTAINTEED: POLYMER SHAKE & SHINGLE SIDING Cedar Impressions®

Individual 5" and Triple 5" Sawmill Shingles




certainteed.com


See Color Matrix
on Page 105

CertainTeed's innovative CedarLife Color Blends capture the appearance of natural Eastern white cedar and Western red cedar at various life stages. CedarLife enables the selection of random color patterns for one-of-a-kind exterior designs.

Individual 5" Shingles:

- A more durable and low-maintenance alternative to real cedar shingles
- Authentic sawmill grain finish
- Three shades – light, medium, and dark – in each color family can be blended or used in one shade
- Five solid colors
- Seven different panel widths from 4" to 8" are packed together
- Can be installed with staples
- Markings molded into shingles make installation fast and easy
- Trim with Restoration Millwork




Shingle Gap Zone
Overlapping shingle gap must fall between vertical marks and fastener target zones

Starter 1/2" Offset
Align with top of first course shingles.

Course Hash Marks
Align marks to top of prior course to assure 5" exposure.


Preformed Holes
For hand-nailing application

Fastener Target Zone
Fastener must be applied within the recessed area. Two fasteners per shingle are required.



Triple 5" Straight-Edge Sawmill Shingles

15" x 60" Panel



Offset corners
available



Individual 5" CedarLife Sawmill Shingles

Length: 12"
Width: 4"-8"
Exposure: 5"
Projection: 0.50"

Pcs./ctn.: 168
Squares/ctn.: 0.33
Product Code: 30146



Corners
24 pcs, 10 l.f.



17 (I5)
27 (T5)



Reinforced
Nail Slots



up to
300mph



Panel Projection
1/2" (I5)
3/4" (T5)



Sawmill



Lifetime
Limited
Warranty



Fastener
Indicators



Low
Maintenance

Cedar Impressions®

Perfection Shingle, Rough-Split Shakes

SIDING




Double 7" Straight Edge Perfection Shingles in Seagrass

See Color Matrix
on Page 105

Single 7" Straight-Edge Perfection Shingles

7" x 73.5" Panel



SPECIAL
ORDER

Driftwood

Panels/ctn.: 14 Squares/ctn.: 0.50
Product Code: 30137

Double 7" Straight-Edge Perfection Shingles - 3G

14" x 48" Panel



Spruce

Panels/ctn.: 11 Squares/ctn.: 0.50
Product Code: 30144

White & Colors

7" Perfection Offset Mitered Cornerposts


Offset Outside Corners:
4-pc (28") bag, Stock colors

40-pc (23' 4") carton



Double 7" Staggered Perfection Shingles

14" x 48" Panel




SPECIAL
ORDER

Pacific Blue

Panels/ctn.: 11 Squares/ctn.: 0.50
Product Code: 30143
Outside Corners
(20-pc carton)

Double 7" Straight-Edge Rough-Split Shakes

14" x 57" Panel




SPECIAL
ORDER

Sable Brown

Panels/ctn.: 9 Squares/ctn.: 0.50
Product Code: 30141
Outside Corners:
(20-pc carton)

Double 9" Staggered Rough-Split Shakes

18" x 57" Panel



SPECIAL
ORDER

Natural Clay

Panels/ctn.: 7 Squares/ctn.: 0.50
Product Code: 30136
Outside Corners
(20-pc carton)

NEW COLORS

Perfection Shingles

7	36	up to 200mph	Reinforced Nail Slots	3/4" Panel Projection	Perfection	Molded Perimeter Lock	CertiLock Continuous Hanger	Lifetime Limited Warranty	Fastener Indicators	Low Maintenance

Rough-Split Shakes


2	15	up to 155mph	Reinforced Nail Slots	1" Panel Projection	Rough Split	Molded Perimeter Lock	Lifetime Limited Warranty	Fastener Indicators	Low Maintenance

Cedar Impressions® Shapes

certainteed.com

Perfection Shapes

SIDING



Perfection Octagon Shingles
in Charcoal Gray

**Single 6-1/3" Perfection Shapes
Scallop**
42" Panel



Panels/ctn.: 18 Squares/ctn.: 0.33
Product Code: 30147

**Single 6-1/3" Perfection Shapes
Octagon**
42" Panel



Panels/ctn.: 18 Squares/ctn.: 0.33
Product Code: 30148

**Single 6-1/3" Perfection Shapes
Half-Cove**
42" Panel



Panels/ctn.: 18 Squares/ctn.: 0.33
Product Code: 30149



COLORVIEW®
VISUALIZER

Perfection Shingle Shapes

3	8	up to 200mph	Reinforced Nail Slots	3/4" Panel Projection	Perfection	Molded Perimeter Lock	CertiLock Continuous Hanger	Lifetime Limited Warranty	Fastener Indicators	Low Maintenance

SPECIAL
ORDER

SIDING



Single 7" Straight Edge
Rough-Split Shakes in Pacific Blue

See Color Matrix
on Page 105



**Single 7" Straight-Edge
Perfection Shingles**

Length: 10'1" Product Code:
Panels/ctn.: 17 60108
Squares/ctn.: 1



**Single 7" Straight-Edge
Rough-Split Shakes**

Length: 10'1" Product Code:
Panels/ctn.: 17 60106
Squares/ctn.: 1



**Single 7" Straight-Edge
Sawmill Shingles**

Length: 10'1" Product Code:
Panels/ctn.: 17 60109
Squares/ctn.: 1



3



21



up to
180mph



Standard
Nail Hem



3/4"
Panel Projection
Perfection



1"
Panel Projection
Rough-Split



Perfection,
Rough-Split
& Sawmill



Lifetime
Limited
Warranty



Class A
Flame Spread



Low
Maintenance

CERTAINTEED: INSULATED VINYL SIDING CedarBoards™



certaainteed.com

SIDING

**SPECIAL
ORDER**

CedarBoards Single 7" Clapboard in
Savannah Wicker with Cedar Impressions
Double 7" Staggered Perfection in Natural Clay

- Custom-contoured foam provides strength and outstanding impact resistance
- Can increase overall thermal performance, reducing heating and cooling costs
- Reduces air infiltration to inhibit drafts
- Absorbs sound for reduced exterior noise infiltration
- Compensates for minor wall imperfections
- Insulation treated with fire retardant and insect repellent
—contains no ozone-depleting chemicals

**See Color Matrix
on Page 105**

DOUBLE 6" CLAPBOARD

Length: 12' 6"
Panels/ctn.: 8
Squares/ctn.: 1
Product Code: 58134

SINGLE 7" CLAPBOARD

Length: 12' 3"
Panels/ctn.: 14
Squares/ctn.: 1
Product Code: 58106

SINGLE 12" VERTICAL BOARD & BATTEN

Length: 10'
Panels/ctn.: 10
Squares/ctn.: 1
Product Code: 58153



CedarBoards XL

DOUBLE 6" XL CLAPBOARD

Length: 16' 8"
Panels/ctn.: 6
Squares/ctn.: 1
Product Code: 58145

SINGLE 7" XL CLAPBOARD

Length: 16' 8"
Panels/ctn.: 10
Squares/ctn.: 1
Product Code: 58144

up to 180mph D6, S7	.044" D6, S7 .052" S12	3	20	Full Rollover Nail Hem	1-1/4" Panel Projection (complete assembly)	TrueTexture	DuraLock	Lifetime Limited Warranty	STUDfinder	Class A Flame Spread	PermaColor Fade Protection	Longer Lengths Available	Low Maintenance

Board & Batten



Board & Batten vertical siding recreates the historic charm and rustic cedar look of a centuries-old siding style originally applied to log-built homes, barns and other early American structures.

- Ideal for whole-house or accent applications
- The widest vinyl board span in the industry
- Flat-face board design results in a straight, even surface
- Straight-edged battens for a sharp, carpentered look
- 1/2" batten height
- 12'6" panels are 2'6" longer than competitive panels, offering installation and aesthetic advantages

SINGLE 8" PANEL

12' 6" PANELS

Panels/ctn.: 12
Squares/ctn.: 1
Product Code: 34137

SPECIAL ORDER

10' PANELS

Panels/ctn.: 15
Squares/ctn.: 1
Product Code: 34138

SPECIAL ORDER

SINGLE 12" PANEL

10' PANELS


Panels/ctn.: 10
Squares/ctn.: 1
Product Code: 58153

SPECIAL ORDER

SINGLE 7" PANEL

10' PANELS

Panels/ctn.: 34
Squares/ctn.: 2
Product Code: 34136



→←	→←	≡	🎨	🌀	⌋	↶	⬆	☰	🔥	☀	🏠
.052" S7	.048" S8	3	30	up to 165mph	Standard Nail Hem	1/2" Panel Projection	TrueTexture	Lifetime Limited Warranty	Class A Flame Spread	PermaColor Fade Protection	Low Maintenance

Reverse Board & Batten

certainteed.com

SIDING

Reverse Board & Batten Single 7" Reinforced Vertical Siding in Sterling Gray and Monogram Double 4" Clapboard in Flagstone



See Color Matrix
on Page 105

Reverse Board & Batten Reinforced siding's narrow boards and wide battens offer a rustic appearance that could only be achieved with real wood in the past.

SINGLE 7" PANEL

10' PANELS

Panels/ctn.: 16

Squares/ctn.: 0.93

Product Code: 63108



.046"



1



10



up to
150mph



Partial
Rollover
Nail Hem



3/4"
Panel
Projection



Woodgrain



Lifetime
Limited
Warranty



Class A
Flame Spread



PermaColor
Fade
Protection



Low
Maintenance

SPECIAL
ORDER



SIDING



The future of exterior cladding is here!

- Easier to handle, more weather-resistant than wood, fiber cement, or wood composite siding
- Wide 7" flat face
- Fits standard accessories including Restoration Millwork PVC trim and vinyl siding accessories
- Reinforced foam backer
- Lifetime limited warranty

SINGLE 7" WOODGRAIN CLAPBOARD

Length: 12'6"
Panels/ctn.: 14
Squares/ctn.: 1
Product Code: 613106

CERTAp plank Starter, 10'



Post-Formed
Positive Lock

Tight Laps

NEW COLORS

→←
.046"

≡
1

🎨
15

⌋
Partial
Rollover
Nail Hem

↪
3/4"
Panel Projection

🌲
Woodgrain

📋
Lifetime
Limited
Warranty

S
STUDfinder

🔥
Class A
Flame Spread

☀️
PermaColor
Fade
Protection

🏠
Low
Maintenance



WATCH THE
VIDEO

Monogram® 46 & 46L

certainteed.com

SIDING



See Color Matrix
on Page 105

MONOGRAM 46 DOUBLE 4" CLAPBOARD

Length: 12' 6" Product Code: 33110
Panels/ctn.: 24
Squares/ctn.: 2

**SPECIAL
ORDER**

MONOGRAM 46 DOUBLE 5" CLAPBOARD

Length: 12'
Panels/ctn.: 20
Squares/ctn.: 2
Product Code: 33122

**SPECIAL
ORDER**

MONOGRAM 46 DOUBLE 5" DUTCHLAP

Length: 12'
Panels/ctn.: 20
Squares/ctn.: 2
Product Code: 33122

**SPECIAL
ORDER**

MONOGRAM 46L DOUBLE 4" CLAPBOARD — 20'

Length: 20'
Panels/ctn.: 15
Squares/ctn.: 2
Product Code: 33139

**SPECIAL
ORDER**

MONOGRAM 46L DOUBLE 4" CLAPBOARD — 16'8"

Length: 16' 8"
Panels/ctn.: 18
Squares/ctn.: 2
Product Code: 33114

**SPECIAL
ORDER**

MONOGRAM 46L DOUBLE 5" DUTCHLAP — 16'8"

Length: 16'
Panels/ctn.: 15
Squares/ctn.: 2
Product Code: 33126

NEW COLORS

REBATE



.046"



3



40



up to
210mph



Full
Rollover
Nail Hem



3/4"
Panel
Projection



TrueTexture
Rough Cedar



CertiLock



Lifetime
Limited
Warranty



STUDfinder



Class A
Flame Spread



PermaColor
Fade
Protection



Longer
Lengths
Available



Low
Maintenance

Restoration Classic™

SPECIAL
ORDER

Restoration Classic Double 4" Clapboard in Midnight Blue with
Northwoods Single 7" Straight Edge Perfection Shingles in Granite Gray

See Color Matrix
on Page 105

DOUBLE 4" CLAPBOARD

Finish: Select Cedar
Length: 12'6"
Panels/ctn.: 24
Squares/ctn.: 2
Product Code: 36110

DOUBLE 4½" DUTCHCLAP

Finish: Select Cedar
Length: 12'1"
Panels/ctn.: 22
Squares/ctn.: 2
Product Code: 36119

DOUBLE 5" CLAPBOARD

Finish: Select Cedar
Length: 12'
Panels/ctn.: 20
Squares/ctn.: 2
Product Code: 36122

DOUBLE 4½" CLAPBOARD

Finish: Smooth
Length: 12'1"
Panels/ctn.: 22
Squares/ctn.: 2
Product Code: 36118

TRIPLE 3" CLAPBOARD

Finish: Smooth
Length: 12'1"
Panels/ctn.: 22
Squares/ctn.: 2
Product Code: 36132

SIDING



.044"



5



30



up to
200mph



Full
Rollover
Nail Hem



5/8"
Panel
Projection



Select Cedar
Woodgrain
& Smooth



DuraLock



Lifetime
Limited
Warranty



STUDee



Class A
Flame Spread



PermaColor
Fade
Protection



Low
Maintenance

Single 8" Clapboard in Colonial White

See Color Matrix
on Page 105

SINGLE 8" CLAPBOARD

Finish: Woodgrain
Length: 12' 6" White Only
Panels/ctn.: 24
Squares/ctn.: 2
Product Code: 39104

**SPECIAL
ORDER****TRIPLE 3" CLAPBOARD**

Finish: Brushed
Length: 12' 1"
Thickness: 0.042"
Squares/ctn.: 2
Product Code: 39131

**SPECIAL
ORDER****SINGLE 6 1/2" BEADED**

Finish: Brushed
Length: 12' 4"
Panels/ctn.: 30
Squares/ctn.: 2
Product Code: 39102

DOUBLE 4" CLAPBOARD

Finish: Woodgrain
Length: 12' 6"
Panels/ctn.: 24
Squares/ctn.: 2
Product Code: 39110

**SPECIAL
ORDER****DOUBLE 5" CLAPBOARD**

Finish: Woodgrain
Length: 12'
Panels/ctn.: 20
Squares/ctn.: 2
Product Code: 39122

DOUBLE 4" DUTCHLAP

Finish: Woodgrain Product Code: 39113
Length: 12' 6"
Panels/ctn.: 24
Squares/ctn.: 2

**SPECIAL
ORDER****DOUBLE 5" DUTCHLAP**

Finish: Woodgrain
Length: 1'
Panels/ctn.: 20
Squares/ctn.: 2
Product Code: 39125



COLORVIEW®
VISUALIZER



.042"



7



25



up to
170mph



Partial
Rollover
Nail Hem



9/16"
Panel
Projection



Woodgrain
& Brushed



DuraLock



Lifetime
Limited
Warranty



STUDfinder



Class A
Flame Spread



PermaColor
Fade
Protection



Low
Maintenance

American Legend™

SIDING



Double 4" Clapboard in Buckskin

See Color Matrix
on Page 105

DOUBLE 4" CLAPBOARD

Length: 12' 6"
Panels/ctn.: 24
Squares/ctn.: 2
Product Code: 40110

DOUBLE 5" CLAPBOARD

Length: 12'
Panels/ctn.: 20
Squares/ctn.: 2
Product Code: 40122

DOUBLE 4 ½" DUTCHLAP

Length: 12' 1"
Panels/ctn.: 22
Squares/ctn.: 2
Product Code: 40119

→←	≡	🎨	🌀	⌋	↪	⬆	🔒	☰	📄	🔥	☀	🏠
.042"	3	21	up to 140mph	Standard Nail Hem	9/16" Panel Projection	Woodgrain	GripLock	Lifetime Limited Warranty	STUDfinder	Class A Flame Spread	PermaColor Fade Protection	Low Maintenance

CERTAINTEED: VINYL SIDING—0.040"

Encore™

certainteed
SAINT-GOBAIN

certainteed.com

SIDING



Double 4" Clapboard in Castle Stone

See Color Matrix
on Page 105

DOUBLE 4" CLAPBOARD

Length: 12' 6"
Panels/ctn.: 24
Squares/ctn.: 2
Product Code: 43110

DOUBLE 4 ½" DUTCHLAP

Length: 12' 1"
Panels/ctn.: 22
Squares/ctn.: 2
Product Code: 43119

SPECIAL
ORDER

DOUBLE 5" CLAPBOARD

Length: 12'
Panels/ctn.: 20
Squares/ctn.: 2
Product Code: 43122



.040"



3



15



up to
170mph



Partial
Rollover
Nail Hem



1/2"
Panel
Projection



Woodgrain



Post-formed



Lifetime
Limited
Warranty



STUDfinder



Class A
Flame Spread



PermaColor
Fade
Protection



Low
Maintenance

- InvisiVent® and solid styles
- The only vinyl soffit to provide more than 10" of net-free intake area per square foot
- Concealed intake vents provide a smooth appearance
- Matte finish looks like freshly painted wood
- Deep 3/4" panel projection creates sharp definition
- 8 low-gloss colors
- Heavy-duty 0.044" thickness for rigidity

InvisiVent® for soffit use only
Solid for soffit use or vertical siding

Finish: Matte
Length: 12'
Thickness: 0.044"
Projection: 3/4"
Panels/ctn.: 10
Squares/ctn.: 1
Product Code: 46228

White

IN STOCK

Colors

See Color Matrix
on Page 106



- Solid and hidden vent styles
- 10 low-gloss colors
- 0.040" thickness
- Hidden vent style provides up to 9.65" of net-free intake area per sq. ft.

Hidden vent for soffit use only
Solid for soffit use or vertical siding

Finish: Matte
Length: 12'
Thickness: .040"
Projection: 5/8"
Panels/ctn.: 20

Squares/ctn.: 2
Product Code:
46230 (vented)
46231 (solid)



SIDING



NEW COLORS

BEADED TRIPLE 2"



- Wainscot style in solid and invisibly vented
- Designed for vertical siding, porch ceiling and soffit applications
- Smooth finish of professionally applied paint
- Extra-long slip-lock design helps provide secure installation
- 8 low-gloss colors
- 0.039" thickness
- 1.6" of net-free air per sq. ft. – invisibly vented

Vented for soffit use only
Solid for soffit use or vertical siding

Finish: Smooth
Length: 12' 6"
Thickness: 0.039"
Projection: 3/8"
Panels/ctn.: 16

Squares/ctn.: 1
Product Code:
46211 (vented)
46209 (solid)

Stocked in Desert Tan, Natural Clay, Sandstone Beige,
Sterling Gray and Savannah Wicker

IRONMAX™ DOUBLE 5"



- Solid and fully vented styles
- Extra-thick 0.046" construction for optimum strength and flat face appearance
- Designed for vertical siding, porch ceiling and soffit applications
- Unique post-formed lock design helps ensure secure installation
- 10 low-gloss woodgrain colors (Sable Brown for soffit applications only)
- 6.4" of net-free air per sq. ft. – fully vented


Fully vented for soffit use only
Solid for soffit use or vertical siding

Finish: Woodgrain
Length: 12'
Thickness: 0.046"
Projection: 9/16"
Panels/ctn.: 20

Squares/ctn.: 2
Product Code:
47205 (vented)
47201 (solid)

**See Color Matrix
on Page 106**

- Post-formed lock design helps provide secure installation
- 30 low-gloss colors (center vented: Colonial White and Snow only)
- 5.9" of net-free air per sq. ft. – fully vented
- 2" of net-free air per sq. ft. – center vented



Fully vented and center-vented for soffit use only
Solid for soffit use or vertical siding

Finish: Matte	Squares/ctn.: 1.92
Length: 12'	Product Code:
Thickness: 0.040"	48224 (fully vented)
Projection: 7/16"	48220 (center-vented)
Panels/ctn.: 16	48216 (solid)

- Solid, fully vented and center-vented styles
- Soffit use only
- 9 low-gloss colors
- RigidForm technology provides strengthened nail hem for high wind conditions
- 6.4" of net-free air per sq. ft. — fully vented



Fully vented and center-vented for soffit use only
Solid for soffit use or vertical siding

Finish: Woodgrain	Squares/ctn.: 2
Length: 12'	Product Code:
Thickness: 0.040"	48223 (fully vented)
Projection: 7/16"	48222 (solid)
Panels/ctn.: 20	

- Solid, fully vented and center-vented styles
- Soffit use only
- Post-formed lock design helps provide secure installation
- Triple 4" – 6 low-gloss colors (center vented: Colonial White only). (Dimensions shown are nominal.)
- Double 5" – 1 low-gloss color



Solid, fully vented and center-vented — soffit use only

Finish: Matte	Squares/ctn.
Length: 12'	4": 1.92 sq./ctn.
Thickness: 0.036"	5": 2.0 sq./ctn.
Projection: 7/16"	Product Code:
Panels/ctn.	49216 (solid)
Triple 4": 16	49224 (fully vented)
Double 5": 20	49220 (center-vented)




SIDING PRODUCTS

[illegible][illegible]

ERIEMATERIALS.COM

ALL J-CHANNEL
12'6" Length
48 pc./600 ft./ctn.
Matte Finish




1/2" J-CHANNEL

3/4" J-CHANNEL


1" J-CHANNEL
12'6" Length
40 pc./500 ft./ctn.
Stock in select colors

For use with Random Hand-Split Shakes




1-1/4" J-CHANNEL

3/4" OUTSIDE CORNER
10' Length
10 pc./100 ft./ctn.
3-1/3" Face
Universal Finish
Woodgrain Finish



3/4" OUTSIDE CORNER
12' Length
10 pc./120 ft./ctn.
3-1/3" Face
Woodgrain Finish

3/4" INSIDE CORNER
10' Length
10 pc./100 ft./ctn.
Universal Finish
VCISC





3/4" OUTSIDE CORNER
20' Length
3/4" deep
White Only



1" OUTSIDE CORNER
10' Length
10 pc./100 ft./ctn.
3-1/3" Face
Universal Finish


For use with Random Hand-Split Shakes




BAY WINDOW CORNER POST
10' Length
10 pc./100 ft./ctn.
VCBACO

SuperCorners®


UNDERSILL TRIM
12' 6" Length
48 pc./600 ft./ctn.
Smooth Finish
VCUN




DUAL UNDERSILL TRIM
12'6" Length
36 pc./450 ft./ctn.
Smooth Finish
VCDUUN



5 1/2" FLUTED 1-PIECE
20' Length
6 pc./120 ft./ctn.
White Only




6" TRADITIONAL 1-PIECE
20' Length
6 pc./120 ft./ctn.



VINYL STARTER

Vinyl Starter Strip
12'6" Length
40 pc./500 ft./ctn.
VCSST

Not for use with Monogram 46/46L, CedarBoards or Cedar Impressions




METAL STARTER STRIP

For Vinyl
10' Length
50 pc./500 ft./ctn.
2.5" Aluminum SSAVPL

For use with all CertainTeed sidings except CedarBoards and Cedar Impressions

Steel Starter Strip STST




CEDAR IMPRESSIONS STARTER

Metal Starter Strip
10' Length
50 pc./500 ft./ctn.
VCCISHST




WINDOW & DOOR STARTER

For new construction
10' Length
36 pc./360 ft./ctn.
VCNCWDST



See Color Matrix
on Page 107

Soffit Accessories


**3/8" J-CHANNEL**

48 pc./600 ft./ctn.

White & Most Soffit Colors
Use with 6" Beaded Soffit**1/2" J-CHANNEL**

Matte Finish


48 pc./600 ft./ctn.

**5/8" F-CHANNEL**

Matte Finish


24 pc./300 ft./ctn.

White, Most Soffit Colors

**3/8" H BAR**

12'6" Length

10 pc./125 ft./ctn.


Use With Beaded Soffit
VC38HBA**1/2" H-BAR**

Matte Finish

12'6" Length

16 pc./200 ft./ctn.


VC12HBA

**3/4" H BAR**


12'6" Length

10 pc./125 ft./ctn.

VC34HBA •




Lineals & Decorative Trim

**3 1/2" LINEAL**


20' Length

10 pc./200 ft./ctn.

Smooth Finish
VC312LI W**5" LINEAL**

20' Length


10 pc./200 ft./ctn.

Smooth Finish
White and Snow Only**3/4" WINDOW & DOOR CASING**

Wide Face 2 1/2"

Snow & White

VCWICA

**5" DOUBLE-CHANNEL LINEAL**

18' Length

10 pc./180 ft./ctn.


VC5DC White

CROWN MOULDING

10' Length

10 pc./100 ft./ctn.


VCCRMO White

**CROWN MOULDING CAP**

Pair — Right & Left

10 pr./ctn.

VCCRMOCA White

**L-RECEIVER & CORNICE MOULDING**


12'-6" Length

24 pc./300 ft./ctn.

L-Receiver: VCCOMORE Cornice

Moulding: VCCOMO White/Colors

COLORS SPECIAL ORDER

SPECIAL
ORDER



DIAMOND KOTE® DIFFERENCE

Using inferior materials can cost you more work, time, and money. Diamond Kote Siding System provides the highest quality materials ready when you need them, packaged to withstand the harsh conditions of transport and on the jobsite. Once installed, they stand the test of time, so you won't have to come back to correct product failures.

INDUSTRY LEADING WARRANTY

Diamond Kote's finish is specially designed to be low-maintenance and high performing. Whether you choose from our Solid or DuoBlend colors, we warrant our finish for 30 years!

diamondkotesiding.com



SIDING



SOLID COLORS



NEW COLORS

DUOBLEND PREMIUM COLORS

*Available April 2024



EVERLAST®: COMPOSITE SIDING

Everlast® Siding

EVERLAST®
Advanced Composite Siding
everlastsiding.com

SIDING

SPECIAL
ORDER

Make a Lasting Impression

The solid, authentic, high-end look of real cedar siding, with none of the problems of real wood, engineered wood, or fiber cement.

- Virtually impervious to water, ideal for freeze/thaw environments
- Mineral composite with highly UV-resistant acrylic capstock and authentic CedarTouch® finish
- Never requires any caulking, painting, or seam flashing
- Industry's tightest, best-looking lap siding seams, preloaded with stainless steel seam brackets
- Superior wind, hail, and impact resistance
- Superior dimensional stability
- Homeowners' industry-best transferrable limited lifetime warranty including fade protection
- Requires no proprietary or specialty tools to cut or install
- EZStack joinery speeds lap siding installation and ensures level with consistent course spacing
- Convenient EZNail® fastener slots on lap nailing hem every 8" O.C.
- Everlast Premium Color-Matched Trim collection available

6 7/8" Lap Siding

4 1/2" Lap Siding

Available in all 15 colors.

The Everlast Siding palette*—including deep, rich hues—has been thoughtfully curated by color consultants to complement any style of home or regional preference, as well as both current and classic color trends.



*Contact Erie Materials for product availability.

!
ALWAYS
SELECT COLOR
FROM PRODUCT SAMPLES



Everlast lap siding seams are tightly joined with preloaded stainless steel brackets.

Everlast®, CedarTouch®, and EZNail® are registered trademarks of Chelsea Building Products. All rights reserved. Chelsea Building Products reserves the right to alter, modify, or discontinue items from time to time without notice.

All products made in the U.S.A. ©2020 #CBPEV-12-20-ONE



INSTALLATION
OVERVIEW

11" Board & Batten Siding*

Available in 15 colors.



jameshardie.com

JAMES HARDIE: FIBER CEMENT SIDING

James Hardie® Siding



JOIN THE
JAMES HARDIE
CONTRACTOR
ALLIANCE®
PROGRAM

SIDING

**James Hardie® Products With ColorPlus® Technology
Ready for Quick Delivery to Your Jobsite!**

Hardie® Plank

Thickness: 5/16"
Length: 12'

Select CedarMill®

6-1/4" (5" exposure)

JHC614
Primed

7-1/4" (6" exposure)

JHC714
Stocked in Prime Only

8-1/4" (7" exposure)
Primed

SPECIAL
ORDER

Smooth
Statement Colors

SPECIAL
ORDER

6-1/4" (5" exposure)

7-1/4" (6" exposure)

8-1/4" (7" exposure)



Hardie® Panel

4' x 8'
Thickness: 5/16"

Smooth, CedarMill, Stucco

Smooth JHSM48
Stucco JHST48
CedarMill JHCM48

SPECIAL
ORDER

4' x 8' Sierra, 4' x 10' Smooth, CedarMill, Stucco, Sierra
PRIMED

SPECIAL
ORDER

4' x 10' Smooth, CedarMill
Statement Colors



Hardie® Shingle

Straight-Edge Panels

15.25" (7" exposure)
Primed, Statement Colors
Thickness: 1/4"
Width: 48"

SPECIAL
ORDER

Statement® Collection

ColorPlus® Technology

Carefully curated by our design experts specifically for your market, the Statement Collection™ brings together the most popular Hardie® siding and trim styles, textures and colors with ColorPlus® Technology finishes. This stunning selection is locally stocked and designed for simplicity — making it easier than ever to get a beautiful, long-lasting home exterior.

PLANK, PANEL, BATTEN AND SHINGLE COLORS



TRIM COLORS



Accessories

Hardie® Trim NT3™ Boards

Nominal (Actual) Width	5/4"	4/4"
4" (3-1/2")	JH54	JH44
SPECIAL ORDER 5" (4-1/2")	JH55	
6" (5-1/2")	JH56	JH46
8" (7-1/4")	JH58	JH48
12" (11-1/4")	JH512	

ARCTIC WHITE ONLY
ARWH JH10-20

Don't Forget!

ColorPlus® Touch-Up Kit Edge Coater

Used to coat exposed edges and nail heads.
16 oz. JH16TU

OSI QUADMAX Caulk

Hardie® Trim Tabs

Flat and corner tabs for a more aesthetically pleasing installation

Corner Tabs	8" Tabs, Box of 50	JH8COTA
Flat Tabs	Box of 100	JHFLTA

TAB SPACING NOTE:
Windows and rakes every 12". Corners every 24".




GET THE BEST
PRACTICE GUIDE

IMPORTANT: This document is not intended to take the place of James Hardie published installation instructions. Failure to install and finish this product in accordance with applicable

building codes and James Hardie published instructions may lead to personal injury, affect system performance, violate local building codes, and void the product only warranty.

For the latest set of complete installation instructions applicable to your jobsite location, visit HardieInstallation.com or call 1-866-942-7343 (866-9-HARDIE)



IMPORTANT FASTENING INFORMATION: James Hardie® siding, trim and soffit products must be installed in a manner that meets local building code and wind load requirements. It is the responsibility of the installer, builder, architect or other building professional and the home or property owner to ensure the fasteners and fastening schedules used result in an installation that is code compliant.

Consult ESR 1844 and ESR 2290 or other applicable, local code compliance documentation for guidance on fastener selection and placement to achieve design wind loads for the specific James Hardie siding product, framing type, building height, wind exposure category and other factors relevant to your project.

For special circumstances outside the scope of these documents, please refer to the Technical Document library at www.jameshardie.com or contact James Hardie's Technical Services at 1-888-J-HARDIE (1-888-542-7343).

LP® SmartSide® trim & siding products deliver the authentic look of real wood, with many advantages over traditional wood trim and siding.

- Free of knots so you don't waste time sorting through flawed pieces
- Resists cupping and warping
- Factory pre-primed to take paint well, delivering optimal adhesion and consistent application
- SmartGuard® manufacturing process helps protect against termite damage and fungal decay
- 5/50-Year Transferable Limited Warranty provides a five-year, 100% labor and replacement feature and a 5/50-Year Prorated Limited Warranty on the product

The difference is clear: LP SmartSide products are the smart choice.



SmartTrim Cedar (Strand) 440 Series

NOMINAL SIZE	ACTUAL SIZE	LENGTH	CODE
1" x 4"	0.625" x 3.50"	16'	ST14
1" x 6"	0.625" x 5.50"	16'	ST16
1" x 8"	0.625" x 7.21"	16'	ST18
1" x 10"	0.625" x 9.21"	16'	ST110
1" x 12"	0.625" x 11.21"	16'	ST112

SmartTrim Cedar (Strand) 440 Series

5/4" x 4"	0.910" x 3.50"	16'	ST544
5/4" x 6"	0.910" x 5.50"	16'	ST546
5/4" x 8"	0.910" x 7.21"	16'	ST548
5/4" x 10"	0.910" x 9.21"	16'	ST5410
5/4" x 12"	0.910" x 11.21"	16'	ST5412

SmartTrim Cedar Grain 190 Series Batten

3"	0.5178" x 2.50"	16'	ST3
----	-----------------	-----	-----

SmartLap Cedar (Strand) Siding

NOMINAL SIZE	LENGTH	CODE
3/8" x 6"	16'	SSL386
3/8" x 8"	16'	SSL388

Smart Soffit Cedar (Strand)

3/8" x 4"	8'	SS3848
3/8" x 12"	16'	SS381216V
Vented 3/8" x 12"	16'	SSL381216
Lap (for soffit) 3/8" X 16"	16'	SS381616V
Vented 3/8" X 16"	16'	SS381616V
3/8" X 24"	16'	SS382416
3/8" X 24"	16'	SS382416V
Vented 3/8" X 24"	16'	SS382416V

SmartLap Soffit/Vertical Siding

3/8" x 16"	16'	SSL381616
------------	-----	-----------

SmartSide 76 Cedar Panel Siding Shiplap

7/16" x 4'	10'	SP716410
------------	-----	----------

SmartSide 38 Series Textures Shakes, Primed

3/8" x 12"	4'	SS12
------------	----	------



BOOST YOUR
INSTALLATION
SKILLS WITH
LP® SKILLBUILDER

Cedar Siding & Wood Products

Plywood & Sheathing

1/2"	CDX
7/16"	OSB
3/8"	Ruff-Sawn [SOFFIT]

18" Machine Groove Shakes

Natural or Primed in Stock
1 Carton Covers 100 s.f. @ 14" Exposure

Cedar Siding

1/2" x 6" & 1/2" x 8"	Beveled
1" x 6"	T&G V-Joint
1" x 8"	Channel Rustic
7/8"	[D] & Better Trim Boards

See page 141 for Zip System wall panels and
page 5 for Zip System roof panels.

CALL FOR CURRENT PRICING AND
AVAILABILITY ON ALL WOOD PRODUCTS.



DURABLE SIDING. NOW IN COLOR.

SPECIAL
ORDER

SIDING

LP® SmartSide® ExpertFinish® Trim & Siding

The advanced durability you expect from LP® SmartSide® Trim & Siding now comes in color.

Your homeowners will love choosing colors to match their style—and you'll love the same fast and easier installation that comes with LP SmartSide products.

- ExpertFinish® Lap avoids the need for most seam caulking, joint molds, and pan flashing
- Advanced Durability for Longer Lasting Beauty®
- Available in 16 versatile colors that complement any home's style
- Industry-leading 5/15/50-year limited warranty: 5-year labor and materials, 15-year finish, and 50-year substrate
- Comes in a variety of SKUs and finishes



Snowscape White	Harvest Honey	Sand Dunes	Desert Stone
Quarry Gray	Prairie Clay	Garden Sage	Terra Brown
Timberland Suede	Midnight Shadow	Redwood Red	Tundra Gray
Summit Blue	Cavern Steel	Rapids Blue	Abyss Black

LP® SmartSide® ExpertFinish®
5/15/50 YEAR
LIMITED WARRANTY



PICTURE IT!
HOME VISUALIZER



For complete product & warranty details, visit lpcorp.com/expertfinish

LP, SmartSide, ExpertFinish and Advanced Durability for Longer Lasting Beauty are registered trademarks of Louisiana-Pacific Corporation.

TANDO COMPOSITES: COMPOSITE SHINGLES

Beach House Shake®

The **Authentic** Composite Shingle



Tando®
COMPOSITES

tandocomposites.com

SIDING



For more inspiration photos, visit www.BeachHouseShake.com

Pacifica



Atlantica



Pacifica



Pacifica



BEFORE
Natural Cedar
Shingles

AFTER
Sandcastle
Beach House
Shake

Imagine if natural cedar shingles could stay looking "natural", just like the day they were installed, for the life of a home. Now they can with Beach House Shake — the authentic composite shingle.

Beach House Shake's innovative composite technology delivers a new level of aesthetic and architectural precision. Every individual shingle is unique with the subtle nuances you demand from cedar shingles — including strikingly realistic grains, saw cuts, and natural color variations.

- KAPGUARD® with Kynar® coating provides guaranteed color protection for 20+ years
- Installs in a fraction of the time compared to traditional cedar shingles
- Available in four natural cedar shades.



Corners Available
in All Shades



Pacifica



Sandcastle



Atlantica



Hatteras

Panel Specifications

Finished Exposure: 42.63" x 15"
Shingle Exposure: 5"
Panels per box: 11 (1/2 Sq.)

Corner Specifications

Finished Exposure: 3.75" x 3.75" x 15"
Corners per box: 5 (6.25 In. ft.)



3/4" J-Channel



Universal Starter Strip

3/4" J Channel

Pacifica, Sandcastle, Atlanticia, Hatteras, White
12'6" BHJ34PACI .

Starter

10' NAST

**Named
HOT PRODUCT
FROM IBS 2023
and
EDITOR'S
PRODUCT PICK by
LBM JOURNAL**

LBM JOURNAL
HOT
PRODUCTS
2023 INTERNATIONAL BUILDERS' SHOW EDITOR'S CHOICE



Nordie Mist



Rocky Mountain Clay

TandoStone Creek Ledgestone features the look of individually stacked pieces of stone where the horizontal ledge is more defined than the vertical joints. It offers a rough, dimensional surface with jagged edges that play with natural lights and shadows.

- A true game-changer for siding installers
- Stone that installs as quickly and easily as traditional siding
- Fast easy-one person installation
- Impervious to moisture
- KAPGUARD® with Kynar® coating provides guaranteed color protection for 20+ years

Panel Specifications

Finished Exposure: 40" x 18.13"
Exposure: 18.13"
Panels per box: 10 (1/2 Sq.)
CL

Corner Specifications

Finished Exposure: 7.25" x 7.38" x 18.13"
Panels per box: 5 (7.5 lin. ft.)
CLOC

Architectural Sill (Optional)

Finished Exposed Width: 30.13" x 2.63" x 2.5"
Architectural Sills per box: 4 (10 lin. ft.)
SSLE

Architectural Sill Corner (Optional)

Finished Exposed Width: 5.0" x 2.63" x 2.5"
Arch. Sill Corners per box: 4
LETRCO



Appalachian Ash



Nordie Mist



Arizona Sandstone



Rocky Mountain Clay



Bucks County Gray



1 1/8" J-Channel



Universal Starter Strip

1-1/8" J Channel

Dark Brown, Lewiston Crest, Rocky Mountain Clay, Seaside Gray, Tan
12'6" C118

Starter

10' NAST



Pewter



Raven



Sable



Scan here to watch a short installation video.





Glacier Bay



Sedona Bluff

TandoStone Stacked Stone features stones with low heights and random lengths for the appearance of a hand-laid, mortarless dry-stack set which gives it a contemporary, sharp edged finish.

- A true game-changer for siding installers
- Stone that installs as quickly and easily as traditional siding
- Fast easy-one person installation
- Impervious to moisture
- KAPGUARD[®] with Kynar[®] coating provides guaranteed color protection for 20+ years

Panel Specifications

Finished Exposure: 44.5" x 19.5"
 Exposure: 18.125"
 Panels per box: 10 (1/2 Sq.)
 SSPR

Corner Specifications

Finished Exposure: 6.5" x 6.5" x 21"
 Panels per box: 6 (9.2 lin. ft.)
 SSOC

Architectural Sill (Optional)

Finished Exposed Width: 30.13" x 2.63" x 2.5"
 Architectural Sills per box: 4 (10 lin. ft.)
 SSLE

Architectural Sill Corner (Optional)

Finished Exposed Width: 5.0" x 2.63" x 2.5"
 Arch. Sill Corners per box: 4
 LETRCCO



Chestnut Hills



Santa Fe



Glacier Bay



Sedona Bluff



Lewiston Crest



1 1/8" J-Channel



Universal Starter Strip

1-1/8" J Channel

Lewiston Crest, Santa Fe, Sedona Bluff,
 Seaside Gray

12'6" C118
 10' NAST

Starter



Pewter



Raven



Sable

Scan here to
 watch a short
 installation video.



The TruExterior® Siding Craftsman Collection™ is the first man-made siding to replicate the natural aesthetic of real wood.



Like wood, TruExterior® Siding...

- is easy to handle (similar weight)
- can be painted any color with exterior-grade latex paint
- is easy to cut, rout, drill and mill
- can be installed using woodworking tools and methods

Unlike wood, TruExterior® Siding...

- has exceptional durability
- is resistant to rotting, cracking and splitting†
- offers excellent workability

Unlike many other exterior products (such as wood composites, fiber cement and vinyl/PVC), TruExterior® Siding...

- is suitable for ground contact
- does not require end-sealing, special adhesives or other cumbersome and costly installation techniques
- can be painted any color

† See TruExterior™ Siding and Trim Limited Warranties and Product Data Sheets for test results.



Craftsman Collection™ Siding

V-Rustic		Cove/Dutch Lap		Channel	
Nominal	Actual	Nominal	Actual	Nominal	Actual
1 x 6	1 1/16" x 5-1/2"	1 x 6	1 1/16" x 5-1/2"	1 x 6	1 1/16" x 5-1/2"
1 x 8	1 1/16" x 7-1/2"	1 x 8	1 1/16" x 7-1/4"	1 x 8	1 1/16" x 7-1/4"
1 x 10	1 1/16" x 9-1/2"	1 x 10	1 1/16" x 9-1/4"	1 x 10	1 1/16" x 9-1/4"

Channel Bevel		Shiplap		Nickel Gap	
Nominal	Actual	Nominal	Actual	Nominal	Actual
1 x 6	1 1/16" x 5-1/2"	1 x 6	1 1/16" x 5-1/2"	1 x 4	1 1/16" x 3-1/2"
1 x 8	1 1/16" x 7-1/2"	1 x 8	1 1/16" x 7-1/4"	1 x 6	1 1/16" x 5-1/2"
1 x 10	1 1/16" x 9-1/2"	1 x 10	1 1/16" x 9-1/4"	1 x 8	1 1/16" x 7-1/4"
				1 x 10	1 1/16" x 9-1/4"



Beadboard

Single		Double	
Nominal Size	Actual	Nominal	Actual
5/8 x 4	5/8" x 3-1/2"	5/8 x 8	5/8" x 6-11/16"
5/8 x 6	5/8" x 5-1/4"	5/8 x 12	5/8" x 10-1/4"

Note: All TruExterior® products are available in standard 16' lengths. 12' and 20' lengths are also available in 1X, 5/4, and 2X Trim (excluding 2 x 2) as special order.

See TruExterior
Trimboards
on Page 59

Specialty and custom TruExterior® products are available through Duration Moulding and Millwork.
durationmillwork.com

IDEAL: GALANTA STEEL SIDING



idealroofing.com



COLOR CHART

SPECIAL
ORDER

GALANTA™

Steel Siding

SIDING



- Available in 10 finishes (woodgrain and solid colors)
- 6-1/4" reveal
- Horizontal or vertical application
- Lightweight
- 12-foot panels
- Vented soffit available
- Full line of accessories
- 40-year transferable warranty



MidAmerica Shutters

STOCK COLORS

#02	Black
#167	Bordeaux
#27	Burgundy Red
#36	Classic Blue
#28	Forest Green
#166	Midnight Blue
#10	Musket
#18	Tuxedo Gray
#117	White
#78	Wineberry

Other colors available via special order.

12" standard widths in both panel and louvered shutters available.



Cathedral Open Louver Shutter 14½" WIDE (NOMINAL)	
Nominal Length	
25"	
31"	
36"	
39"	
43"	
48"	
52"	
55"	
60"	
64"	
67"	
72"	
75"	
80"	



Williamsburg Raised Panel Shutter 14¾" WIDE	
Nominal Length	
31"	
35"	
39"	
43"	
47"	
51"	
55"	
59"	
63"	
67"	
71"	
75"	
80"	



SPECIAL-ORDER OPTIONS

Widths	9¼", 12", 14½", 16½", 18"	Custom Shutters
Custom Lengths	18"-144"	• Style-A-Louver™
Custom Styles	Full Louver	• Style-A-Panel™
	Offset Mullion	• Board-N-Batten™
	Straight Top	• Louver-Panel Combination

SIDING



GableMaster® Gable Vents



Colors:

More than 300, plus paintable and stainable.

Other sizes, styles and colors available. Call for information.

Features:

Lock-on trim ring, sealed-in fiberglass screening, and wire mesh screen available for additional charge. Can be used with any siding product: fiber cement, vinyl, wood, stucco and brick.

Shape	Size	Code
Octagon	22"	MIQC
Round	22"	MIRO
Vertical Oval	21" x 27"	MIOV
Half Round	22" x 34"	MI12RO
Round Top	14" x 22"	MIROTO
Square	12" x 12"	MI1212
Rectangle	12" x 18"	M1218
	18" x 24"	MI1824
	20" x 30"	MI2030

Mounting Blocks

Matches most siding colors and paintable

Type	Size	Code
Original Mount Master	5" x 6"	MOMA
Jumbo	6" x 10"	MIJUMOMA
Solid Mini	3" x 4-3/4"	MIMOSO
Split Mini	5" x 6-3/4"	MIMORESP
Meter Block	15-1/2" x 16-1/2"	MIMEBL
Electrical Block	7" x 8"	MIELBL
Surface Block	6-3/4" octagon	SUMA
Jumbo Electrical Box	6" x 10"	MIJEB
Super Jumbo Mount Master	8" x 12"	MISJMOMA

Vinyl Mounting Blocks for Fiber Cement

Paintable #030

Type	Size	Code
Horizontal Mount	9-1/2 x 6-1/4"	MIFCHRM030
Split-Block Mount	6-1/4" x 9-1/2"	MIFCSBM030
Square Mount	8-1/2" x 9"	MIFCSM030

Utility Vents



Matches most siding colors and paintable

Type	Size (face)	Code
4" Hooded Dryer Vent	7-1/2" x 6-3/4"	MIDRVE
6" Hooded Dryer Vent	10" x 9-1/10"	MIDRVE6



NEG: F & J CHANNEL, FASCIA, STARTER

F & J Channel



Call for pricing.

Standard colors: Musket Brown, White

Item ID	A (in.)	B (in.)	C (in.)	Nominal Thickness (in.)	Material	Length Per Piece (ft)
3/8 F channel	1 1/2	3/8	7/8	.019	Aluminum	12
1/2 F channel	1 1/2	1/2	7/8	.019	Aluminum	12
1/2 J channel	1 1/2	1/2	3/4	.019	Aluminum	12

Fascia

Standard colors: Black, Musket Brown, White


Colors available for certain products and sizes: Almond, Barn Red, Charcoal Gray, Eggshell, Gray, Grecian Green, Royal Brown, Stone Clay, Terra Bronze, Wicker



Call for pricing.

Item ID	A (in.)	B (in.)	Nominal Thickness (in.)	Material	Length Per Piece (ft)
4" Ribbed	4	1	0.019	Aluminum	12
4" Smooth	4	1	0.024	Aluminum	12
6" Ribbed	6	1	0.019	Aluminum	12
6" Smooth	6	1	0.024	Aluminum	12
8" Ribbed	8	1	0.019	Aluminum	12
8" Smooth	8	1	0.024	Aluminum	12
10" Ribbed	10	1	0.024	Aluminum	12
10" Smooth	10	1	0.024	Aluminum	12

Starter



Item ID	A (in.)	Nominal Thickness (in.)	Material	Length Per Piece (ft)
Alum Starter	2 1/8	.019	Aluminum	10
Galv Starter	2 1/8	30 Gage	Galvanized	10
Wide Starter	3 5/8	30 Gage	Galvanized	10

Call for pricing.

INSULATION, UNDERLAYMENTS, SHEATHING, FLASHING & CAULK

Insulation & Underlayments

DuPont Foil-Faced ISO | 4' x 8' Sheets

1/2"	R3.3	Tuff-R	12TUR
3/4"	R5.0	Tuff-R	34TUR
1"	R6.5	Tuff-R	1TUR

Polar Industries Weatherall Pro Siding Underlayment

Fan-Fold Foil/Plastic

3/8" x 4' x 50'	38WE
1/2" x 4' x 50'	12WE
8" FOAM BACKER BOARD	8FOBA

J'D Out Kickout Flashing

BLACK, LEFTHAND, RIGHTHAND RAJD



Protecto Wrap Super Stick Building Tape

4" x 75'	PWSS4
6" x 75'	PWSS6

ESP Low-E Housewrap

Single-sided aluminum foil with scrim product laminated to 1/4" polyethylene foam, perforated.

4' x 125'	LOEWHOWR4
5' x 100'	LOEWHOWR5
2-1/2" SCRIMMED ALUM TAPE	LOSCALTA
THERMASHEET ROOF UNDERLAYMENT	LOTHSHESP

Caulk & Sealants

OSI - Low VOC Compliant

QUAD
QUADMAX - WHITE
QUADMAX - COLORS

GE Silicone 1000 Series

White & Clear GESI

AC Products

Flexible Seal FLSE



FIND YOUR
OSI QUAD
COLOR MATCH

GeoCel Gutter Seal

10.3 oz. | 2320

Sealants

2300|GEO (cardboard)
2300 | White & Clear (plastic)

SIDING



ZIP System® Wall Sheathing

ZIP System® structural wall panels with built-in protective barriers and specially designed ZIP System® tape let you work faster and say goodbye to housewrap forever.

Simply install the panels, tape the seams and you're done!



ZIP Wall	CODE
7/16" x 4' x 8'	716ZIWA
SPECIAL ORDER 7/16" x 4' x 9' SPECIAL ORDER FULL UNITS ONLY	7R6ZIWA9
SPECIAL ORDER 7/16" x 4' x 10' SPECIAL ORDER FULL UNITS ONLY	716ZIWA10
SPECIAL ORDER ZIP R3.6 Insulated Panel 1" x 4' x 8'	Please Call for Price
SPECIAL ORDER ZIP R6.6 Insulated Panel 1-1/2" x 4' x 8'	
SPECIAL ORDER ZIP R9.6 Insulated Panel 2" x 4' x 8'	
SPECIAL ORDER ZIP R12.6 Insulated Panel 2-1/2" x 4' x 8'	

Tapes & Tools

Tapes & Tools	CODE
3.75" x 90' Tape (1 roll per 7 ZIP panels)	ZITA
6" x 75' Tape	ZITA6
3.75" ZIP Tape Gun	ZITAGU

Installs Faster & Easier

- Up to 40% faster than traditional sheathing and housewrap¹

Eliminates Rework

- Protective barrier is built into the panel, eliminating rips and tears typical of traditional housewrap
- ZIP System tape will not blow off

Code-Recognized Water-Resistive Barrier

- Built-in Stormex® water-resistive barrier keeps bulk water out during and after construction and eliminates the risk of water becoming trapped between housewrap and sheathing

Structural 1 Rated

- 4' x 9' and 4' x 10' panels

Type 1 Air Barrier

- Reduces air infiltration, helping to maintain the R-value of insulation and promote energy efficiency
- ZIP System tape reduces air leaks

Panel Breathability

- Specially engineered to vent moisture vapor through the panel, letting walls breathe and dry out

Peace of mind

- Limited 30-year system warranty²

¹ Based on time studies conducted by an independent third party and 2005 ZIP System builder survey.

² Limitations and restrictions apply — see zipsystem.com for details.

For ZIP Roof Panels,
see page 165


ZIP System Wall is recognized by IBC and IRC (ESR-1474) as a structural wall panel and water-resistive barrier all in one. FL DCA Product Approval Number 6565-R2.

TYVEK: WEATHER-RESISTANT BARRIERS & FLASHINGS

DUPONT

Tyvek®

tyvek.com

Earn
PointsWITH CONTRACTOR
REWARDS
See page 7DuPont™
Tyvek®
HomeWrap®DuPont™
Tyvek®
DrainWrap™DuPont™
Tyvek®
ThermaWrap™ R5.0DuPont™
Tyvek®
ThermaWrap™ LEDuPont™
Tyvek®
StraightFlash™ VFDuPont™
Tyvek®
Tape**Tyvek Housewrap**

9' x 150' (1350 s.f.) 9DUTY150
 5' x 200' (1000 s.f.) 5DUTY
 3' x 165' (495 s.f.) 3DUTY

Tyvek DrainWrap

9' x 125' 9DUTYDRWR

Tyvek Tape

2" x 55-yard Roll Tape TYTA
 3" x 55-yard Roll Tape TYTA3

Tyvek Flashing Tape

4" x 75' Flashing Tape 4DUTYFLTA7

Tyvek Flexwrap™ NF

6" x 75' Roll 6DUTYFWNF
 9" x 75' Roll 9DUTYFWNF
 /roll

Tyvek StraightFlash

4" x 150' 4DUTYSTFL

Tyvek VersaFlange


6" x 125' 6DUTYSFVF

Tyvek Weatherization Sealant

10.3 oz. DUWSE



TRIM COIL doesn't simply cover up your exposed trim. Our proprietary process results in a product that **actively protects** homes from the elements, keeping them looking beautiful for longer.



Our exclusive **smooth Dymalar® 2000** finish to create easy-to-form, mark and abrasion-resistant trim coil. **It's engineered to withstand the harshest elements for a lifetime of virtually maintenance-free beauty**, and ALSCO® aluminum products are backed by a limited, lifetime warranty guaranteed not to crack, split, peel, flake or rust.

ALSCO® Trim Coil is available in 24 in. x 50 ft. coil size and offers the very best color matches to virtually any siding in today's marketplace, including many leading brands like **CertainTeed®, James Hardie®, and more.**

Made right in America's Heartland.

We've been a privately-owned American company since our founding in 1947.

Today, ALSCO directly employs 100 American workers, and our decisions to obtain manufacturing materials locally supports even more jobs right here in the USA.



Call for pricing.